SafeSmart ACCESS

*Reaching new heights*

Oxbow, SK 1 306 483 5055
Edmonton, AB 1 780 809 5055

WWW.SAFESMARTACESS.CA

EDITION 8

# COMPANY PROFILE

## SAFESMART ACCESS

SafeSmart Access is an international manufacturer and importer of innovative and specialist access equipment.

We work closely with our client base to provide a tailor-made solution to all height access issues; thus vitally contributing to the raising of safety standards and improvement of workplace efficiency worldwide.

SafeSmart has a rapidly expanding global presence with locations in Australia, New Zealand, UK, USA and Canada; we are a growing company dedicated to universal improvement in workplace safety and systems.

## HISTORY

SafeSmart Access is a dynamic company dedicated to delivering marketing-leading solutions to the height access industry.

Evolving from 2007, SafeSmart Access has provided products and completed access projects in a range of industries such as:

- Retail
- Industrial
- Construction
- Mining
- Government Projects
- Defence

## GLOBAL PRESENCE

SafeSmart Access has international sales and distribution capabilities, with offices and warehouses located in Oxbow, Edmonton, Los Angeles, New York, Cleveland Ohio, London, Auckland, Sydney and Melbourne Australia.

Many of our clients operate internationally and trust us to service their diverse requirements. SafeSmart is currently establishing a global footprint with new locations in Canada and Europe to accompany New Zealand, USA and Australia.

## SAFESMART ADVANTAGE

We have the resources and support staff to ensure we are at the forefront of every development in the demanding world of height access.

From our in-house design team to our production and independent certification procedures, our can-do attitude allows us to work closely with you to solve your need and streamline your own workplace efficiency; consequently improving your safety standards and increasing staff productivity.

## SUSTAINABILITY

As a manufacturer and designer SafeSmart Access is constantly looking at how we impact the environment and what better efficiencies we can achieve from utilizing recycled materials in day to day running of branches and facilities. Issues such as water conservation, energy and carbon are being continually reviewed to ensure we are contributing to a greener planet.

SafeSmart Access looks to lead the industry in environmental management, exceeding compliance with a forward thinking approach.

## INTERNATIONAL LOCATIONS



PG 54
CUSTOM BRIDGE
PROJECTS

PG 74
AIRCRAFT DOCKING

PG 73
AIRCRAFT PLATFORMS

LADDERS
*PG 05 - 14*

ALUMINUM SCAFFOLDING
*PG 15 - 22*

SPECIALIST ACCESS
*PG 23 - 48*

CUSTOM ACCESS PROJECTS
*PG 49 - 64*

AVIATION ACCESS
*PG 65 - 80*

STEEL SCAFFOLDING
*PG 81 - 93*

# CUSTOM SOLUTIONS ARE OUR SPECIALTY




SEE PAGE 50 FOR PROJECT EXAMPLES

# LADDERS


WARTHOG PLATFORM LADDERS..... 06 - 07

TRADE SERIES PLATFORM LADDERS..... 08

STRAIGHT LADDER..... 09

FOLDING ORDER PICKING LADDERS..... 10 - 11

BRANACH PLATFORM LADDER..... 12 - 13

BRANACH FIBERGLASS EXTENSION LADDERS... 14

# PLATFORM LADDER

## ALUMINUM WARTHOG SERIES

| PART NO. | TYPE | SIZE (DECK HEIGHT) STANDARD | SIZE (DECK HEIGHT) METRIC |
|---|---|---|---|
| 210093 | 2 Step | 2ft* approx. | 0.6m |
| 210094 | 3 Step | 3ft* approx. | 0.9m |
| 210095 | 4 Step | 4ft* approx | 1.2m |
| 210096 | 5 Step | 5ft* approx. | 1.5m |
| 210097 | 6 Step | 6ft* approx. | 1.8m |
| 210098 | 7 Step | 7ft* approx. | 2.1m |
| 210099 | 8 Step | 8ft* approx. | 2.4m |
| 210100 | 9 Step | 9ft* approx. | 2.7m |
| 210101 | 10 Step | 10ft* approx. | 3.0m |
| 210173 | Spring loaded wheel $/ea. (4 required) | | |
| 210128 | Full surround safety rail | | |

## FEATURES & BENEFITS

- 10 YEAR MANUFACTURERS WARRANTY
- FULLY WELDED BOX SECTION ALUMINUM FRAME
- WON'T TWIST LIKE A STANDARD PLATFORM
- PLATFORM KICK BOARD  STOPS SLIPS AND SPILLS

**400lbs**
**LOAD CAPACITY**
**180KG**

**10**
**YEAR**
**WEAR & TEAR**
**GUARANTEE!**

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFE & SECURE
WORKING PLATFORM

NEW & IMPROVED
SAFETY RAIL

LARGE ANTI-SLIP
STAIR TREADS



CENTRAL LOCKING
LATCH - NO
PINCH POINTS

FULLY WELDED
TRAPEZOIDAL
STEPS

ANTI-SLIP
FEET CAPS FOR
ULTIMATE STABILITY



WARTHOG
WELDED LADDER

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# PLATFORM LADDER

## ALUMINUM TRADE SERIES

| PART NO. | TYPE | DECK HEIGHT (STANDARD) | DECK HEIGHT (METRIC) |
|---|---|---|---|
| 210300 | 2 Step | 2ft* approx. | 0.6m |
| 210301 | 3 Step | 3ft* approx. | 0.9m |
| 210302 | 4 Step | 4ft* approx. | 1.2m |
| 210303 | 5 Step | 5ft* approx. | 1.5m |
| 210304 | 6 Step | 6ft* approx. | 1.8m |
| 210299 | 8 Step | 8ft* approx. | 2.4m |

## FIBERGLASS TRADE SERIES

| PART NO. | TYPE | DECK HEIGHT (STANDARD) | DECK HEIGHT (METRIC) |
|---|---|---|---|
| 210306 | 3 Step | 3ft* approx. | 0.9m |
| 210307 | 4 Step | 4ft* approx. | 1.2m |
| 210308 | 5 Step | 5ft* approx. | 1.5m |
| 210309 | 6 Step | 6ft* approx. | 1.8m |
| 210310 | 8 Step | 8ft* approx. | 2.4m |

## FEATURES & BENEFITS

- LARGE NON-SLIP PLATFORM SURFACE FOR ADDED SAFETY WHEN WORKING AT HEIGHTS
- FINGER SPACE BESIDE PLATFORM - NO PINCH POINTS
- CENTRAL LOCKING LATCH
- SIMPLY FOLDS OUT GIVING A WELL BRACED PLATFORM & FOLDS FLAT FOR STORAGE
- WIDE, COMFORTABLE STAIR TREADS FOR EASY ACCESS
- WELDED BACK BRACE - GREATER RIGIDITY, DURABILITY & SAFETY
- DIAGONAL BACK BRACE PREVENTS LADDER TWISTING

# TRADE SERIES ACCESSORIES

| PART NO. | TYPE |
|---|---|
| 210305 | Spring loaded castor |
| 210335 | Full surround safety rail |



## FEATURES & BENEFITS

- FULL SURROUND SAFETY RAIL CREATES A SAFER WORKING ENVIRONMENT FOR ANY HEIGHT
- SPRING WHEELED CASTORS ALLOW USERS TO MANEUVRE AROUND WORK SPACE WITH EASE



SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# STRAIGHT LADDER

## ALUMINUM

| PART NO. | SIZE (STANDARD) | SIZE (METRIC) |
|---|---|---|
| 210346 | 8ft* approx. | 2.4m |
| 210338 | 10ft* approx. | 3.0m |
| 210339 | 12ft* approx. | 3.6m |
| 210340 | 14ft* approx. | 4.2m |
| 210341 | 16ft* approx. | 4.8m |
| 210343 | 18ft* approx. | 5.4m |
| 210344 | 20ft* approx. | 6.0m |

## FEATURES & BENEFITS

- WIDE COMFORTABLE D SECTION STYLES
- UNIQUE FRAME DESIGN - STURDY BUT LIGHTWEIGHT
- NON-SLIP, NON-MARKING FEET

**330lbs LOAD CAPACITY 150 KG**



**RUNGS CRIMPED & SEALED THROUGH LADDER WALL**

**ANTI-SLIP RIDGED RUBBER FEET**





**LARGE COMFORTABLE D STYLE RUNG**

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# FOLDING ORDER PICKER

## ALUMINUM WHEELED CHASSIS

| PART NO. | TYPE | PLATFORM HEIGHT (STANDARD) | PLATFORM HEIGHT (METRIC) | BASE WIDTH & LENGTH (STANDARD) | BASE WIDTH & LENGTH (METRIC) |
|---|---|---|---|---|---|
| 210157 | 5 Step | 5ft* approx. | 1.5m | 35" x 53" | 880 x 1350mm |
| 210158 | 6 Step | 6ft* approx. | 1.8m | 35" x 59" | 880 x 1500mm |
| 210159 | 7 Step | 7ft* approx. | 2.1m | 35" x 65" | 880 x 1650mm |
| 210160 | 8 Step | 8ft* approx. | 2.4m | 35" x 71" | 880 x 1800mm |
| 210161 | 9 Step | 9ft* approx. | 2.7m | 42" x 77" | 1060 x 1950mm |
| 210162 | 10 Step | 10ft* approx. | 3.0m | 42" x 83" | 1060 x 2100mm |
| 210163 | 12 Step | 12ft* approx. | 3.6m | 42" x 95" | 1060 x 2400mm |

- WELDED ALUMINUM
- NO ASSEMBLY REQUIRED
- NO RIVETS - FULLY WELDED
- CORROSION RESISTANT
- LIGHT WEIGHT
- LIFETIME GUARANTEE

WORLD FIRST FOLDING DESIGN

330lbs LOAD CAPACITY 150 KG



RUBBER ANTI-SLIP FEET

LOCK & RELEASE SAFETY LEVER

## *QUICK AND EASY SET UP - NO HASSLE*

STEP 1 OPEN LATCH

STEP 2 UNFOLD

STEP 3 PULL UNTIL OPEN & FULLY SECURE

STEP 4 RAISE HANDLE TO DISENGAGE WHEELS AND PUSH DOWN LEVER

STEP 5 CLIMB & OPEN SECURITY RAIL

EASY WITHOUT COMPROMISING ON SAFETY



SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

# FOLDING ORDER PICKER

## ALUMINUM SPRING WHEELED

| PART NO. | TYPE | PLATFORM HEIGHT (STANDARD) | PLATFORM HEIGHT (METRIC) | BASE WIDTH & LENGTH (STANDARD) | BASE WIDTH & LENGTH (METRIC) |
|---|---|---|---|---|---|
| 210164 | 3 Step | 3ft* approx. | 0.9m | 35" x 42" | 880 x 1050mm |
| 210165 | 4 Step | 4ft* approx. | 1.2m | 35" x 48" | 880 x 1200mm |
| 210166 | 5 Step | 5ft* approx. | 1.5m | 35" x 53" | 880 x 1350mm |
| 210167 | 6 Step | 6ft* approx. | 1.8m | 35" x 59" | 880 x 1500mm |

## FEATURES & BENEFITS

- SPRING WHEELS FOR EASY MANEUVERABILITY
- LOW COST & SIMPLE TO USE
- BUILT TOUGH FOR INDUSTRIAL USE



**STRONG BOX SECTION SAFETY RAIL**



**LARGE 2' x 2' WORKING AREA**

**LOCKING PLATFORM FOR SAFE USE**

**LARGE SAFE STAIR TREADS**



**RUBBER ANTI-SLIP FEET**

**SPRING WHEELS FOR EASY MANEUVERABILITY**

**330lbs**
**LOAD CAPACITY**
**150 KG**


sales@safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055


PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# BRANACH LADDERS

## FIBERGLASS FPL SERIES

| PART NO. | TYPE | DECK HEIGHT (STANDARD) | DECK HEIGHT (METRIC) |
|---|---|---|---|
| 210336 | 2 Step | 2ft* approx. | 0.6m |
| 210356 | 3 Step | 3ft* approx. | 0.9m |
| 210317 | 4 Step | 4ft* approx. | 1.2m |
| 210318 | 5 Step | 5ft* approx. | 1.5m |
| 210319 | 6 Step | 6ft* approx. | 1.8m |
| 210320 | 8 Step | 8ft* approx. | 2.4m |
| 210321 | 10 Step | 10ft* approx. | 3.0m |
| 210322 | 12 Step | 12ft* approx. | 3.6m |

330lbs LOAD CAPACITY 150 KG

ELECTRICALLY SAFE

## FEATURES & BENEFITS

- STURDY AND DURABLE
- LIGHTWEIGHT AND EASY TO MOVE
- SINGLE ACTION SET-UP
- COMFORTABLE, NON-RESTRICTIVE 18" WIDE PLATFORM
- NON-SLIP HINGED ALUMINUM PLATFORM
- RUBBER FEET
- BACKRAIL OPTIONAL FOR ALL-ROUND PROTECTION

## *PERFECT FOR VARIOUS TYPES OF MAINTENANCE*

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

ANTI-SLIP
WORK PLATFORM





OPTIONAL
FULL SURROUND
SAFETY BAR
FOR ADDED SAFETY

SAFETY CROSS BRACE
FOR EXTRA SUPPORT

OPTIONAL
SPRING WHEELS
FOR INCREASED
MANEUVERABILITY



ANTI-SLIP
STAIR TREADS

# BRANACH EXTENSION LADDERS

## POWERMASTER FER - FIBERGLASS

| PART NO. | CLOSED LENGTH (STANDARD) | CLOSED LENGTH (METRIC) | EXTENDED LENGTH (STANDARD) | EXTENDED LENGTH (METRIC) |
|---|---|---|---|---|
| 210350 | 13ft* approx. | 3.9m | 21ft* approx. | 6.4m |
| 210351 | 15ft* approx. | 4.5m | 25ft* approx. | 7.6m |
| 210352 | 17ft* approx. | 5.1m | 29ft* approx. | 8.8m |

350lbs LOAD CAPACITY 160 KG

ELECTRICALLY SAFE FIBERGLASS

### FEATURES & BENEFITS

- SUPER STRONG, DURABLE BOX RAILS
- HIGH ELECTRICAL RESISTANCE
- DRAMATIC REDUCTION IN SWAY AND TWIST
- WEATHER RESISTANT - NO WATER ABSORPTION
- SWIVEL FEET WITH URETHANE STUDS AND GRAVEL SPIKES
- SPRING ROPE RETRACTION
- NON-SLIP ROUND RUNGS
- CONVENTIONAL LATCH

## TRADEMASTER FED - FIBERGLASS

| PART NO. | CLOSED LENGTH (STANDARD) | CLOSED LENGTH (METRIC) | EXTENDED LENGTH (STANDARD) | EXTENDED LENGTH (METRIC) |
|---|---|---|---|---|
| 210353 | 13ft* approx. | 3.9m | 21ft* approx. | 6.4m |
| 210354 | 15ft* approx. | 4.5m | 25ft* approx. | 7.6m |
| 210355 | 17ft* approx. | 5.1m | 29ft* approx. | 8.8m |

350lbs LOAD CAPACITY 160 KG

ELECTRICALLY SAFE FIBERGLASS

### FEATURES & BENEFITS

- SUPER STRONG, DURABLE BOX RAILS
- HIGH ELECTRICAL RESISTANCE
- DRAMATIC REDUCTION IN SWAY AND TWIST
- WEATHER RESISTANT - NO WATER ABSORPTION
- SWIVEL FEET WITH URETHANE STUDS AND GRAVEL SPIKES
- SPRING ROPE RETRACTION
- NON-SLIP ROUND RUNGS
- CONVENTIONAL LATCH

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# ALUMINUM SCAFFOLDING


ALUMINUM MINI MOBILE SCAFFOLD..... 16 - 17

MINI MOBILE EXPANSION SCAFFOLD..... 18 - 19

ALL TERRAIN STAIR PACK..... 18

SAFEDECK COMPACT SCAFFOLDING..... 20 - 21

ALUMINUM SCAFFOLD TOWER TRADE SERIES..... 23

# MOBILE SCAFFOLD

## ALUMINUM MINI MOBILE SCAFFOLD

| PART NO. | DESCRIPTION | MAX PLAT. HEIGHT (STANDARD) | MAX REACH HEIGHT (STANDARD) | MAX PLAT. HEIGHT (METRIC) | MAX REACH HEIGHT (METRIC) |
|---|---|---|---|---|---|
| 210002 | Standard scaffold + Guardrail set* | 6ft* approx. | 13ft* approx. | 1.9m | 3.9m |
| 210003 | 2 level scaffold + guardrail set + outrigger set (4) + toeboard set* | 12ft* approx. | 19ft* approx. | 3.7m | 5.7m |
| 210011 | Adjustable height castors (Optional) | $/EA.d each | | | |
| 210012 | Toe board set | | | | |

*Standard castors included in scaffold packs

## FEATURES & BENEFITS

- STANDARD: 6FT* APPROX. (L) X 2FT* APPROX. (W) METRIC: 1700 (L) X 700MM (W)
- PERFECT FOR INDOOR USE & TIGHT ACCESS
- UNIQUE CHANNEL LOCKING PLATFORM
- MINIMAL BRACING NEEDED, REDUCING ASSEMBLY TIME
- OPEN SIDED FOR UNOBSTRUCTED ACCESS TO HATCH PLATFORM
- QUICK TO ERECT WITH 1 PERSON

**Standard Scaffold + Guadrail Set***

**2 Level Scaffold + Guardrail Set + Outrigger Set (4) + Toeboard set***

**Standard Scaffold Fits Through Doorways**



SAFESMART ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

**990lbs**
LOAD CAPACITY
**450 KG**

**EXPANDING SPIGOTS FOR EASY LOCKING MECHANISM**

**CHANNEL LOCKING PLATFORM SYSTEM - REDUCES BRACING NEEDED**

**ERGONOMICALLY DESIGNED HAND TIGHTENING COUPLERS**

**FULLY WELDED FRAMES**

**SIMPLE CLIP LOCKING SCISSOR BRACE**

# MINI MOBILE EXPANSION SCAFFOLD

## ALL TERRAIN STAIR PACK

| PART NO. | INCLUDES | SERIES |
|---|---|---|
| 210015 | Diagonal brace & adjustable end frame | 1700 |

| PART NO. | DESCRIPTION |
|---|---|
| 210011 | Optional height castors ($/ea.) |

## FEATURES & BENEFITS

- 4' (1200MM) OF ADJUSTMENT ALLOWS FOR MOST GRADIENTS
- ADJUSTABLE HEIGHT CASTORS AVAILABLE FOR EXTRA ADJUSTMENT
- ALL TERRAIN STAIR PACK DOES NOT INCLUDE SCAFFOLD - SUITS MINI MOBILE
- SUITS STAIRS, SLOPES & UNEVEN GROUND
- SAFE & SIMPLE ACCESS IN STAIRWELLS

Diagonal brace omitted for clarity

H Frame Finger Tightening Lock



Height Adjustable H Frame

Hand tightening Couplers

Optional Height Adjustable Castors



SAFESMART ACCESS
Reaching new heights

www.safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

# MINI MOBILE EXPANSION SCAFFOLD

## LONG BOARD SET

| PART NO. | DESCRIPTION (STANDARD) | DESCRIPTION (METRIC) |
|---|---|---|
| 210007 | 10ft* approx. (set) | 3.0m (set) |
| 210008 | 13ft* approx. (set) | 4.0m (set) |
| 210009 | 16ft* approx. (set) | 5.0m (set) |
| 210010 | 20ft* approx. (set) | 6.0m (set) |

### FEATURES & BENEFITS

- JOINS ANY TWO MINI MOBILES END TO END
- INCLUDES LONGBOARD, HANDRAIL & 2 SINGLE POSTS
- SPANS RANGE FROM 10' - 20' (3-6M) FAST SETUP OVER OBSTACLES
- ONE SIDED HANDRAIL

## WIDE BOARD

| PART NO. | DESCRIPTION | LENGTH (STANDARD) | LENGTH (METRIC) |
|---|---|---|---|
| 210013 | Handrails + ledgers | 6ft* approx. | 1.7m |

### FEATURES & BENEFITS

- JOINS ANY 2 MINI MOBILES SIDE TO SIDE
- INCLUDES WIDE BOARD & 2 JOINING HANDRAILS
- TRIPLE THE WORK SURFACE IN SECONDS
- PERFECT FOR CEILING WORK

## CORNER PACK

| PART NO. | DESCRIPTION | SERIES |
|---|---|---|
| 210017 | Handrails + ledgers | 1700 |

### FEATURES & BENEFITS

- ALLOWS UNOBSTRUCTED DECKING AROUND LEFT AND RIGHT CORNERS
- CAN BE FITTED WITH LONG BOARDS AND WIDE BOARDS

# COMPACT SCAFFOLDING

## SAFEDECK ALUMINUM SCAFFOLD

| PART NO. | DESCRIPTION | MAX PLAT. HEIGHT (STANDARD) | MAX PLAT. HEIGHT (METRIC) | MAX REACH HEIGHT (STANDARD) | MAX REACH HEIGHT (METRIC) |
|---|---|---|---|---|---|
| 210234 | Base pack | 4ft* approx. | 1.2m | 11ft* approx. | 3.2m |
| 210235 | Guardrail pack | $/ea. doesn't include base pack | | | |
| 210236 | Base + Guardrail + Extension pack | 8ft* approx. | 2.5m | 15ft* approx. | 4.5m |

## FEATURES & BENEFITS

- STANDARD: 4FT* APPROX. (L) X 2FT* APPROX. (W)
  METRIC: 1200 (L) X 700MM (W)
- FAST TO ASSEMBLE
- IDEAL FOR MAINTENANCE WORK & TIGHT ACCESS SITUATIONS
- BASE PACK FOLDS FLAT FOR EASY STORAGE

Base Pack

Base Pack + Guardrail Pack

Base + Guardrail + Extension Pack



SafeSmart Access
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

**500lbs**
LOAD CAPACITY
**225KG**

**FINGER FRIENDLY SNAP LOCK GRASPERS**

**FOLDING BASE SECTION**

**LOCKING CASTORS**

**CHANNEL LOCKING BRACE SYSTEM**



# ALUMINUM SCAFFOLD TOWER

## TRADE SERIES - 41/2′ (1.37M) WIDE

| DESCRIPTION | PLATFORM HEIGHT (STANDARD) | PLATFORM HEIGHT (METRIC) | REACH HEIGHT (STANDARD) | REACH HEIGHT (METRIC) | LENGTH (STANDARD) | LENGTH (METRIC) |
|---|---|---|---|---|---|---|
| Single level + handrail | 8ft* approx. | 2.5m | 15ft* approx. | 4.5m | 8ft* approx. | 2.4m |
| Single level + handrail | 10ft* approx. | 3.0m | 16ft* approx. | 5.0m | 8ft* approx. | 2.4m |
| Single level + handrail | 13ft* approx. | 4.0m | 20ft* approx. | 6.0m | 8ft* approx. | 2.4m |
| Single level + handrail | 16ft* approx. | 5.0m | 23ft* approx. | 7.0m | 8ft* approx. | 2.4m |

## FEATURES & BENEFITS

- LIGHTWEIGHT SCAFFOLD
- FAST AND EASY TO SET UP
- UNIQUE CLIP IN TOEBOARD SYSTEM FOR SAFETY AND SECURITY
- LADDER DISASSEMBLES FOR EASY TRANSPORT

**3/32" WALL THICKNESS ALUMINUM 2.3MM**

16′ (5.0M) PLATFORM HEIGHT

8′ (2.5M) PLATFORM HEIGHT

10′ (3.0M) PLATFORM HEIGHT

13′ (4.0M) PLATFORM HEIGHT



SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# SPECIALIST ACCESS


PORTABLE STAIRS & ACCESSORIES..... 24 - 27

TRUCK LOADING ACCESS PLATFORM..... 28 - 29

CUSTOM TRUCK LOADING PLATFORM..... 30 - 32

TRUCK EDGE PROTECTION..... 33

PORTABLE TRUCK ACCESS STAIRS..... 34

BALCONY CEILING JACK..... 35

SUPER MAINTENANCE PLATFORM..... 36 - 37

CANTILEVER MAINTENANCE PLATFORM..... 38 - 39

RAZOR DECK PLATFORM..... 40 - 41

SUPER TRESTLE PLATFORMS..... 42 - 43

DESKSURFER MAINTENANCE PLATFORM..... 44 - 45

DESKSURFER MAXI MAINTENANCE PLATFORM.. 46 - 47

PEDESTRIAN ACCESS BRIDGE..... 48

# PORTABLE STAIRS

## SELF-LEVELLING ALUMINUM STAIRS

| PART NO. | WIDTH (STANDARD) | WIDTH (METRIC) | HEIGHT ADJUSTMENT (STANDARD) | HEIGHT ADJUSTMENT (METRIC) | STEPS |
|---|---|---|---|---|---|
| 210056 | 2ft* approx. | 600mm | 4ft - 6ft* approx. | 1.2m - 1.8m | 8 |
| 210057 | 2ft* approx. | 600mm | 8ft - 10ft* approx. | 2.4m - 3.0m | 12 |
| 210058 | 2ft* approx. | 600mm | 81/2 ft - 12ft* approx. | 2.6m - 3.6m | 14 |
| 210276 | 2ft* approx. | 600mm | 11ft - 14ft* approx. | 3.4m - 4.4m* | 18 |

*Please note must be used with Y brace

## FEATURES & BENEFITS

- ADJUSTABLE ALUMINUM SAFETY STAIR
- SAFE, FAST, EASY ACCESS BETWEEN FLOORS, DECKS & IN TRENCHES
- FOLDS FLAT FOR EASY STORAGE
- DURABLE - BUILT TO LAST
- TREADS SELF-LEVEL TO SUIT ANY HEIGHT

Trench access

Industrial applications

Stair with custom landing



SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

90° TOP
FIXING BRACKET



330lbs
LOAD CAPACITY
150KG

SELF-LEVELLING
TREADS

ANTI-SLIP
STAIR TREADS



FOLDING
HANDRAILS

LARGE
SUPPORT FOOT



sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# PORTABLE STAIRS: HOW DO THEY SELF-LEVEL?

The innovative design allows the treads to move with the stringers, thus meaning that they will self-level to provide a firm, flat surface at the desired height.

GAP BETWEEN STRINGERS DECREASES AS THE STAIRS DECLINE

GAP BETWEEN STRINGERS INCREASES AS THE STAIRS INCLINE

## HOW DO THE 14 STEP PORTABLE STAIRS ADJUST TO SUIT HEIGHTS FROM 2.6M - 3.6M?

*All measurements on the following diagrams are in METRIC.




THE SIMPLE GRAPH TO MEASURE HEIGHT ADJUSTMENT



# PORTABLE STAIR ACCESSORIES

## Y BRACING

| PART NO. | DESCRIPTION |
|---|---|
| 210250 | To suit 18 step stair |
| 210279 | To suit 14 step stair |

**440lbs**
LOAD CAPACITY
**200KG**




### FEATURES & BENEFITS

- ADD ON TO STAIRS IN SECONDS
- FOR EXTRA RIGIDITY ON LARGER MODELS
- INCREASES SWL TO 440LBS (200KG)

## STEP ATTACHMENT

| PART NO. | HEIGHT (STANDARD) | HEIGHT (METRIC) |
|---|---|---|
| 210259 | 2ft* approx. | 600mm |

### FEATURES & BENEFITS

- ADDS 2' (600MM) OF HEIGHT TO PORTABLE STAIRS
- CAN BE USED AS AN INDEPENDENT STAIR

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# TRUCK LOADING PLATFORM

## ALUMINUM ACCESS PLATFORM

| PART NO. | PLATFORM DIMENSIONS - DESCRIPTION (STANDARD) |
|---|---|
| 210125 | 13ft* approx. (L) x 2ft* approx. (W) x 5ft* approx. (H) - adjustable castors & stairs one end |
| 210194 | 20ft* approx. (L) x 2ft* approx. (W) x 5ft* approx. (H) - adjustable castors & stairs one end |
| 210193 | Joining Kit |

| PART NO. | PLATFORM DIMENSIONS - DESCRIPTION (METRIC) |
|---|---|
| 210125 | 4000 (L) x 700 (W) x 1400mm (H) - adjustable castors & stairs one end |
| 210194 | 6000 (L) x 700 (W) x 1400mm (H) - adjustable castors & stairs one end |
| 210193 | Joining Kit |

## FEATURES & BENEFITS

- COMES STANDARD WITH FORK LIFTING CHANNELS AND CRANE LIFTING POINTS
- FULLY CROSS BRACED ALUMINUM FRAME CREATES TOTAL RIGIDITY THROUGHOUT PLATFORM
- SELF-CLOSING GATE AT ENTRANCE TO PLATFORM
- 8" (200MM) DIAMETER HEAVY DUTY CASTORS, FULLY HEIGHT ADJUSTABLE THROUGH 16" (350MM)

**Lock castors and position in place**

**Enter through the gate and onto the deck**

**Unload with safety**



SafeSmart Access
Reaching new heights

www.safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

SELF-CLOSING SAFETY GATE

QUICK RELEASE GUARDRAIL SYSTEM

ANTI-SLIP PERFORATED DECK

FORK LIFTING SLEEVES



45°
EASY FULL STAIR ACCESS

CHAIN LIFTING POINTS

CROSS BRACING

CERTIFICATION PLATE



8" (200MM) HEIGHT ADJUSTABLE CASTORS - UP TO 16" (350MM) ADJUSTMENT

**1100lbs**
LOAD CAPACITY
**500 KG**

**JOINING KIT AVAILABLE**
JOIN 2 PLATFORMS END - TO - END

# CUSTOM TRUCK LOADING PLATFORM

## 16M ALUMINUM ACCESS PLATFORM WITH LANYARD LINE

**PLATFORM DIMENSIONS - DESCRIPTION (STANDARD)**

52ft* approx. (L) x 2ft* approx. (W) x 5ft* approx. (H) - adjustable castors & stairs both ends

**PLATFORM DIMENSIONS - DESCRIPTION (METRIC)**

16000 (L) x 700 (W) x 1400mm (H) - adjustable castors & stairs both ends

## FEATURES & BENEFITS

- ALL SIZES AND CONFIGURATIONS AVAILABLE
- ADDITIONAL EDGE PROTECTION BESIDE STAIR
- LANYARD SYSTEM PREVENTS OPERATOR FROM FALLING ON OPPOSITE SIDE OF TRAY



**EASY FULL STAIR ACCESS**

**CROSS BRACING**

**8" (200MM) HEIGHT ADJUSTABLE CASTORS - UP TO 16" (350MM) ADJUSTMENT**

**LANYARD SLIDING BLOCK - CONNECTS TO HARNESS**



SafeSmart Access
Reaching new heights

www.safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

# SAFETY LANYARD LINE IN USE

Enter Platform

Connect lanyard to sliding block

Block and lanyard connected

Uninterrupted access for 52 feet (16M)!



ALUMINUM DUNNAGE CRADLE

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# CUSTOM TRUCK LOADING PLATFORM

## DOUBLE WIDTH - 5' (1.4M)

| LENGTH (STANDARD) | LENGTH (METRIC) | WIDTH (STANDARD) | WIDTH (METRIC) | HEIGHT (STANDARD) | HEIGHT (METRIC) |
|---|---|---|---|---|---|
| 20ft* approx. | 6000mm | 5ft* approx. | 1400mm | 5ft* approx. | 1400mm |

## FEATURES & BENEFITS

- PLATFORM RESTS ON WELDED FOOT PLATES FOR SUPERIOR STABILITY
- SLIDING LANYARD BLOCK FOR OPERATOR SAFETY




## *EASY TO SET UP AND ADJUST*

WHEEL INTO PLACE

WIND UP WHEELS

ROTATE & LOCK



SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

## ALUMINUM EDGE PROTECTION PANEL

| PART NO. | WIDTH (STANDARD) | WIDTH (METRIC) | HEIGHT (STANDARD) | HEIGHT (METRIC) |
|---|---|---|---|---|
| 210273 | 13ft* approx. | 4.0m | 8ft* approx. | 2.5m |

## FEATURES & BENEFITS

- FLAT PACKED FOR STORAGE & TRANSPORTATION
- LIGHT & EASY TO USE - SIMPLY ROLL UP TO TRUCK & CLIP TO TIE RAIL
- SUITABLE FOR TRAY HEIGHTS UP TO 5FT (1.5M)






**SIMPLY COUPLES AROUND TIE RAIL AND BACK TO BRACKET**



**PANELS CAN BE JOINED FOR CONTINUOUS PROTECTION**



**EASY ROLL LOCKING CASTORS**

# ADJUSTABLE ALUMINUM STAIRS

## PORTABLE TRUCK ACCESS STAIRS

**PART NO.**
210275

### FEATURES & BENEFITS

- DEVELOPED SPECIFICALLY FOR ACCESS TO TRUCK TRAYS
- NO FIXINGS REQUIRED
- TREADS SELF-LEVEL TO SUIT TRAY HEIGHTS OF 3-5FT (1-1.5M)





Great for truck unloads

Convenient for storage and transport



SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# SCAFFOLD SUPPORT BRACE

## ALUMINUM SCAFFOLD CEILING JACK

| PART NO. | DESCRIPTION |
|---|---|
| 210399 | Scaffold ceiling support bracket 5ft (1.5m), includes couplers |
| 230233 | Scaffold adjustable base plate |

## FEATURES & BENEFITS

- CEILING JACKS FIT TO ANY STANDARD SCAFFOLD SYSTEM - 2" (50MM) TUBE FITTING
- PROVIDES EXTRA STABILITY WHEN USING SCAFFOLD OR PLATFORMS ON BALCONIES OR VERANDAHS
- CAN ALSO BE USED UPSIDE DOWN AS A LEVELLING JACK

Holds a scaffold in a fixed position for a safer work site

Easy to attach on any scaffold end frames

Base plate clamps under ceiling beam

# MAINTENANCE PLATFORM

## SUPER MAINTENANCE PLATFORM - ALUMINUM

| PART NO. | PLATFORM HEIGHT (STANDARD) | PLATFORM HEIGHT (METRIC) | PLATFORM SIZE (STANDARD) | PLATFORM SIZE (METRIC) | TYPE |
|---|---|---|---|---|---|
| 210183 | 22" | 565mm | 32" x 32" | 800 x 800mm | 2 Step |
| 210184 | 33" | 850mm | 32" x 32" | 800 x 800mm | 3 Step |
| 210185 | 44" | 1130mm | 32" x 32" | 800 x 800mm | 4 Step |
| 210186 | 55" | 1400mm | 32" x 32" | 800 x 800mm | 5 Step |
| 210187 | 67" | 1700mm | 32" x 32" | 800 x 800mm | 6 Step |
| 210188 | 78" | 1970mm | 40" x 40" | 1000 x 1000mm | 7 Step |
| 210189 | 89" | 2250mm | 40" x 40" | 1000 x 1000mm | 8 Step |
| 210190 | 100" | 2540mm | 40" x 40" | 1000 x 1000mm | 9 Step |
| 210191 | 111" | 2828mm | 40" x 40" | 1000 x 1000mm | 10 Step |
| 210192 | 122" | 3100mm | 40" x 40" | 1000 x 1000mm | 11 Step |

## FEATURES & BENEFITS

- ENGINEERS APPROVAL, SWL RATING & SERIAL NUMBER CERTIFICATION PLATE
- BUILT TOUGH WITH 3" X 2" (82 X 50MM) MARINE GRADE ALUMINUM RHS
- PERFORATED & SWAGED DECK FOR SUPERIOR TRACTION IN WET & GREASY CONDITIONS

**500lbs**
**LOAD CAPACITY**
**225KG**

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# MAINTENANCE PLATFORM

## CANTILEVER MAINTENANCE PLATFORM - ALUMINUM

| PART NO. | PLATFORM HEIGHT (STANDARD) | PLATFORM HEIGHT (METRIC) | PLATFORM SIZE (STANDARD) | PLATFORM SIZE (METRIC) | STEPS |
|---|---|---|---|---|---|
| 210240 | 22" | 565mm | 31" x 71" | 800 x 1800mm | 2 Step |
| 210241 | 33" | 850mm | 31" x 71" | 800 x 1800mm | 3 Step |
| 210242 | 45" | 1150mm | 31" x 71" | 800 x 1800mm | 4 Step |
| 210243 | 55" | 1400mm | 31" x 71" | 800 x 1800mm | 5 Step |
| 210244 | 67" | 1700mm | 31" x 71" | 800 x 1800mm | 6 Step |
| 210245 | 77" | 1970mm | 39" x 79" | 1000 x 2000mm | 7 Step |
| 210246 | 89" | 2250mm | 39" x 79" | 1000 x 2000mm | 8 Step |
| 210247 | 100" | 2540mm | 39" x 79" | 1000 x 2000mm | 9 Step |
| 210248 | 111" | 2828mm | 39" x 79" | 1000 x 2000mm | 10 Step |
| 210249 | 122" | 3100mm | 39" x 79" | 1000 x 2000mm | 11 Step |
| 210238 | 8" Swivel plate castor, fully locking (spare part) | | | | |

## FEATURES & BENEFITS

- AN ESSENTIAL TOOL FOR ALL MACHINERY SERVICE WORKSHOPS
- ALLOWS YOU TO GET RIGHT INTO AND UP AGAINST YOUR WORK AREA WITHOUT REACHING OUT FROM THE PLATFORM
- BUILT TOUGH, NON-SLIP PERFORATED DECK AND ALUMINUM FRAME

## *CLEARANCE FOR CANTILEVER PLATFORMS*

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# SUPER TRESTLE

## TWO MAN WORK PLATFORM

| PART NO. | TYPE | DECK SIZE (STANDARD) | DECK SIZE (METRIC) | DECK HEIGHT (STANDARD) | DECK HEIGHT (METRIC) |
|---|---|---|---|---|---|
| 210220 | Wide platform max height 3'. (1000mm) | 18" x 4' | 450 x 1200mm | 16" - 40" | 400 - 1000mm |
| 210221 | Wide platform max height 4' (1300mm) | 18" x 5' | 450 x 1600mm | 24" - 50" | 600 - 1300mm |
| 210222 | Wide platform max height 6' (1700mm) | 18" x 5' | 450 x 1600mm | 28" - 67" | 700 - 1700mm |
| 210223 | Wide 18" (450mm) treadplank 8' (2400mm) long | 18" x 8' | 450 x 2400mm | | |
| 210224 | Full surround handrail | | | | |
| 210225 | Plank handrail | | | | |
| 210226 | Spring loaded wheel | | | | |

## FEATURES & BENEFITS

- 18" DECK WIDTH
- LARGE WORK AREA FOR INDUSTRIAL, TRADE USE
- FOLDS DOWN FLAT FOR EASY TRANSPORT & STORAGE
- INDEPENDENT SAFETY TESTING APPROVED

LATCHING GATE

NON-SLIP ACCESS LADDER

SPRING ASSISTED LIFT

ANTI-SKID FEET

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# BRIDGING SYSTEM

## FEATURES & BENEFITS

- USED TO JOIN MULTIPLE SUPER TRESTLES FOR A LARGER WORK PLATFORM
- CREATE A FULL SURROUND WORK PLATFORM IN SECONDS!
- CAN BE JOINED END-TO-END OR SIDE-TO-SIDE

Climb & enter platform

System bridges around and over work area

Exit through safety gate

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# HEIGHT ADJUSTABLE WORK PLATFORM

## DESKSURFER

| PART NO. | REACH HEIGHT (STANDARD) | REACH HEIGHT (METRIC) | MIN PLAT. HEIGHT (STANDARD) | MIN PLAT. HEIGHT (METRIC) | MAX PLAT. HEIGHT (STANDARD) | MAX PLAT. HEIGHT (METRIC) | MAST UM OR FM | NO. OF OUTRIGGERS |
|---|---|---|---|---|---|---|---|---|
| 210215 | 14ft* approx. | 4.2m | 3ft* approx. | 0.85m | 7ft* approx. | 2.2m | Upright mast | 2 |
| 210216 | 14ft* approx. | 4.3m | 3ft* approx. | 0.95m | 8ft* approx. | 2.3m | Folding mast | 2 |

## FEATURES & BENEFITS

- DESIGNED FOR HANDS ON FACILITY AND MAINTENANCE ENGINEERS
- 3FT (900MM) OUT REACH PLATFORM PROVIDES EASY ACCESS TO LIGHT FITTINGS AND MECHANICAL SERVICES
- COMPACTS TO A MERE 2FT (W) X 4FT (L) X 6FT (H) METRIC: 650 (W) X 1350 (L) X 1912MM (H)

Easy to work over office desks

Folds flat for easy storage

Easy to transport

Easy to maneuvre






SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# DESKSURFER - BRIDGING SYSTEM

## FEATURES & BENEFITS

- THE DESKSURFER BRIDGING SYSTEM JOINS 2 UNITS END TO END
- PROVIDES A HEIGHT ADJUSTABLE BRIDGE THAT CAN SPAN SEVERAL METERS
- THE UNITS MUST BE DESKSURFER BRIDGING UNITS

**Join 2 Desksurfers to create a safe bridging system to work over wide obstacles**



# HEIGHT ADJUSTABLE WORK PLATFORM

## DESKSURFER MAXI

| PART NO. | REACH HEIGHT (STANDARD) | REACH HEIGHT (METRIC) | MIN PLAT. HEIGHT (STANDARD) | MIN PLAT. HEIGHT (METRIC) | MAX PLAT. HEIGHT (STANDARD) | MAX PLAT. HEIGHT (METRIC) | NO. OF OUTRIGGERS |
|---|---|---|---|---|---|---|---|
| 210217 | 13ft | 4m | 3ft | 900mm | 7ft | 2005mm | 2 |

## FEATURES & BENEFITS

- BASE SIZE 2FT X 4FT (680MM X 1250MM)
- PLATFORM SIZE 2FT X 3FT (510MM X 825MM)
- MINIMUM PLATFORM HEIGHT 3FT (905MM)
- MAXIMUM PLATFORM HEIGHT 7FT (2005MM)
- PLATFORM ADJUSTMENT 11" (275MM) INCREMENTS

**PULLEY SYSTEM IN MAST - LIFT INTO POSITION**

Easy to work above work stations in seconds!

Fits into elevators for multi-Level buildings

SAFESMART ACCESS
Reaching new heights

www.safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

HINGING SAFETY GATE

PLATFORM SEAT

TOOL TRAY

ROTATING OUTRIGGERS

LOCKING CASTORS

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# PORTABLE BRIDGE

## PEDESTRIAN ACCESS BRIDGE

| PART NO. | WIDTH (STANDARD) | WIDTH (METRIC) | LENGTH (STANDARD) | LENGTH (METRIC) |
|---|---|---|---|---|
| 210690 | 4ft | 1.2m | 10ft | 3.0m |
| 210691 | 4ft | 1.2m | 14ft | 4.2m |

## FEATURES & BENEFITS

- 4FT (1.2M) WIDTH ALLOWS FOR EASY ACCESS FOR WORKERS & TOOLS
- REMOVABLE HANDRAILS - BRIDGE CAN BE FLAT PACKED
- LIGHT & EASY TO POSITION
- HINGED FLAPS ON ENDS - NO TRIP POINTS
- IDEAL FOR BRIDGING OVER TRENCHES ON WORK SITES

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# CUSTOM
## ACCESS PROJECTS


ADJUSTABLE HEIGHT PLATFORM..... 50

ALUMINUM STAIRS..... 51

ENCLOSED ADJUSTABLE STAIRS..... 52

ADJUSTABLE HEIGHT PLATFORM..... 53

BRIDGES..... 54

LOADER PLATFORMS..... 55

RAIL MAINTENANCE..... 56

BRIDGE DECK..... 57

FLOAT DECK..... 58

BUS ACCESS PLATFORM..... 59

CYLINDER PLATFORM..... 60

CONVEYOR BRIDGE..... 61

CONVEYOR BRIDGING PLATFORM..... 62

HEAVY DUTY PLANT ACCESS PLATFORM..... 63

TANKER MAINTENANCE PLATFORM..... 64

# ADJUSTABLE HEIGHT PLATFORM

## FEATURES & BENEFITS

- HIGH TENSILE ALUMINUM
- LIGHT WEIGHT AND STRONG
- EASILY WHEELED INTO POSITION
- SIZES CAN BE MODIFIED FOR ANY SPECIFICATION
- MANUAL WINCH FOR HEIGHT ADJUSTMENT
- UNIQUE MULTI-POSITIONAL STAIRWAY
- FULLY WELDED FOR DURABILITY

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# ALUMINUM STAIRS

## FEATURES & BENEFITS

- HIGH STRENGTH, LOW WEIGHT, NO RUST
- PROVIDES MANY ADVANTAGES OVER STEEL, WOOD OR CONCRETE
- GLEAMING AESTHETICS DO NOT DETERIORATE WITH TIME AND WILL NOT RUST OR ROT EVEN IN MARINE ENVIRONMENTS
- ALUMINUM, ONCE WELDED, IS READY TO INSTALL - NO GALVANIZING REQUIRED
- IDEAL FOR MINING CAMPS, CONSTRUCTION ACCOMMODATION ACCESS AND MUCH MORE

Fire Escape Stairs

Beach Access

Warehouse Access

Container Access

sales@safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# ADJUSTABLE HEIGHT STAIRS

## COVERED JUMP FORM STAIR

### FEATURES & BENEFITS

- THE NEW JUMP FORM STAIR ALLOWS WORKERS TO REMAIN SAFELY ON THE CORE CONTINUING WITH THEIR JOBS WHILE THE "JUMP" IS UNDERWAY. THIS IS AN EFFECTIVE WAY TO MAKE SURE YOUR SITE IS RUNNING EFFICIENTLY DURING TRADITIONAL DOWNTIMES

SafeSmart Access
Reaching new heights

www.safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

# ADJUSTABLE HEIGHT PLATFORM

## OIL RIG MAINTENANCE PLATFORM

### FEATURES & BENEFITS

- THIS PLATFORM IS DESIGNED TO PROVIDE ACCESS ON AN OIL RIG, FOR THE COMPLETION OF MAINTENANCE TASKS
- THE PLATFORM IS INSTANTLY ADJUSTABLE BETWEEN 1FT-3FT (0.3-1.0M), ENSURING IT'S SUITABILITY IN A VARIETY OF APPLICATIONS
- SELF-LEVELLING STAIRS PROVIDE SAFE ACCESS AT ANY POINT IN THIS HEIGHT RANGE
- TOWING LUGS ON LEADING EDGE OF THE PLATFORM IS USED TO HOOK THE UNIT UP FOR A TRAILER FOR TRANSPORT AROUND THE RIG

**SNAP LOCK GRASPER GUARDRAILS**



**HEIGHT ADJUSTMENT LOCKING PINS**



**LIFTING/TOWING LUGS**



**ANTI-SLIP DECK**

**SWL & SERIAL NUMBER PLATE**

**500lbs**
LOAD CAPACITY
**225KG**

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# CUSTOM BRIDGE PROJECTS

## FEATURES & BENEFITS

- HIGH STRENGTH, LOW WEIGHT, NO RUST
- SUPPLIED READY TO INSTALL - NO GALVANIZING REQUIRED
- PEDESTRIAN AND LIGHT VEHICLE BRIDGES CAN BE INSTALLED IN UNDER 3 HOURS
- FULLY FINISHED PRODUCT AND BASE STRUCTURES AVAILABLE



SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# ABOVE GROUND & BELOW GROUND

## FEATURES & BENEFITS

- MANUFACTURED FROM HIGH TENSILE CONSTRUCTION GRADE ALUMINUM FOR DURABILITY IN MINING ENVIRONMENTS
- STANDARD DESIGNS AND MADE-TO-MEASURE CUSTOM UNITS AVAILABLE FOR ALL MAJOR BRANDS OF EQUIPMENT
- DESIGNED TO FIT "SNUG" TO THE EQUIPMENT BEING WORKED ON, GIVING SAFE UNOBSTRUCTED ACCESS

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# RAIL MAINTENANCE PLATFORMS

## FEATURES & BENEFITS

- SAFE ACCESS FOR WASHING, REPAIRING AND MAINTENANCE ON TRAINS AND CARRIAGES
- ANY LENGTH, ANY SIZE AVAILABLE

**NSW RAIL**
**Sydney, 2011**

**SOLUTION PROVIDED:**
**Access to front end of trains for repairs and maintenance.**

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

## FEATURES & BENEFITS

- PERFECT FOR BRIDGING ACCESS OVER PLANT AND EQUIPMENT
- CAN BE USED WITHOUT BRIDGE AS MAINTENANCE PLATFORMS, OR WITH BRIDGE AS A COMPLETE SYSTEM
- 3FT OF HEIGHT ADJUSTMENT FOR MANY DIFFERENT APPLICATIONS
- EASILY HEIGHT ADJUSTABLE USING HAND WINCH
- CAN BRIDGE OFF SIDE OR END OF BASE UNITS

# FLOAT DECK

## FEATURES & BENEFITS

- COMPACT UNIT - FINAL PLATFORM HEIGHT CAN BE OVER 3X BASE HEIGHT
- MANUAL HAND WINCH OPERATED
- CANTILEVER DESIGN ALLOWS PLATFORM TO GET IN CLOSE TO WORK SURFACES

**500lbs**
LOAD CAPACITY
**225KG**

AVAILABLE IN VARIOUS PLATFORM HEIGHTS

Clip-on outriggers

Platform removable for transport - simply unhook platform

Easy manual height adjustment

Safety mechanism locks platform in position



SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# BUS ACCESS PLATFORM

## FEATURES & BENEFITS

- HIGH TENSILE ALUMINUM, LIGHTWEIGHT AND STRONG
- HEIGHT ADJUSTABLE CASTORS
- EASILY WHEELED INTO POSITION
- SIZE CAN BE MODIFIED FOR ANY SPECIFICATION
- FULLY WELDED FOR DURABILITY
- STAIR ACCESS OR LADDER ACCESS AVAILABLE

**NORTHLAND NZ, 2011**

**SOLUTION PROVIDED:**
**Manufactured a mobile bridging platform for roof washing and general maintenance.**

**500lbs**
**LOAD CAPACITY**
**225KG**

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# CYLINDER PLATFORM

## FEATURES & BENEFITS

- DESIGNED TO FIT SNUG AROUND A CYLINDRICAL PIPE FOR EASY ACCESS TO CONTROL SYSTEM
- LARGE PLATFORM SIZE ALLOWS WORKERS TO EASILY COMPLETE MAINTENANCE TASKS

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# CONVEYOR BRIDGE

## FEATURES & BENEFITS

- NON-CORROSIVE ALUMINUM - SUITABLE FOR CAUSTIC ENVIRONMENTS
- BRIDGE SAFELY OVER PLANT AND MACHINERY
- ANY CUSTOM SIZE AND LENGTH AVAILABLE



sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# CONVEYOR BRIDGING PLATFORM

## FEATURES & BENEFITS

- PLATFORM DESIGNED TO BRIDGE OVER A CONVEYOR TO PROVIDE SAFE ACCESS FOR MAINTENANCE TASKS
- CRANE LIFTING POINTS AND STRUCTURAL BEAMS ALLOW THE PLATFORM TO BE SAFELY RELOCATED BY AN OVERHEAD GANTRY CRANE




## FEATURES & BENEFITS

- COMPACT DESIGN AROUND CONVEYOR SYSTEM
- SLIDE OUT EXTENSION PIECE FOR SAFE ACCESS ONTO CONVEYOR

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# HEAVY DUTY PLANT ACCESS PLATFORM




## FEATURES & BENEFITS

- HIGH VISIBILITY POWDER COATED SAFETY RAILS
- 1FT (300MM) CANTILEVER SECTION FOR ACCESS OVER MACHINERY
- 4FT (1.2M) WIDE STAIR ACCESS FOR EASE OF USE

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# TANKER MAINTENANCE PLATFORM

## HEIGHT ADJUSTABLE CANTILEVER PLATFORM

### FEATURES & BENEFITS

- SAFE ACCESS FOR REPAIRS AND MAINTENANCE
- GEARED RATCHET FOR EASY HEIGHT ADJUSTMENT
- TELESCOPIC HANDRAILS PROVIDES EDGE PROTECTION FOR OPERATOR WHEN ACCESSING TOP OF VEHICLE
- CANTILEVER DESIGN ALLOWS ROOF ACCESS TO TANKERS/BUSES AND OTHER TYPES OF TRANSPORT

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# AVIATION ACCESS


BELL SIDE PLATFORM..... 66 - 67

DUAL PURPOSE PLATFORMS..... 68 - 69

EUROCOPTER SIDE PLATFORM..... 70

AW 139 TAIL PLATFORM..... 71

AVIATION ACCESS STAIRS..... 72 - 73

AIRCRAFT DOCKING SYSTEMS..... 74 - 75

HELICOPTER MAINTENANCE PLATFORM..... 76 - 77

PLATFORM CONCEPTS..... 78 - 79

REACH DECK PLATFORM.....80

# HELICOPTER PLATFORM

## BELL 412 SIDE MAINTENANCE STAND

### FEATURES & BENEFITS

- SIDE PLATFORMS DEVELOPED FOR MOST HELICOPTERS (BELL 412 HIGH SKID PICTURED)
- PLATFORM ALSO HAS A CANTILEVER TO ALLOW FOR SKID FLOATS
- LIGHT WEIGHT & EASILY MANEUVERED INTO POSITION WITH ONE PERSON
- EASY ROLL CASTORS ARE SUITABLE FOR MOST HELICOPTER MAINTENANCE AREAS
- FULLY HANDRAILED AND FULLY COMPLIANT

SAFESMART ACCESS
Reaching new heights

www.safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

The Bell 412 Side Maintenance Stand is fully handrailed and lightweight for safe and easy access.

# DUAL PURPOSE SIDE PLATFORMS

## TO SUIT BELL 412 OR AW 135 AIRCRAFT

### FEATURES & BENEFITS

- DESIGNED WITH LIFT ON PANELS, SWITCHING TO SUIT THE CONTOURS OF EITHER A BELL 412 OR AW 135 HELICOPTER
- LARGE SAFE WORK AREA WITH PLENTY OF SPACE FOR TOOLS AND SPARE PARTS
- EXTENDED CANTILEVER SECTION ALLOWING FOR CLEAR ACCESS TO AIRCRAFT DOORS WHILE PLATFORMS ARE IN POSITION
- TELESCOPIC TOP GUARDRAILS - CAN BE LOWERED TO ALLOW ROTATION OF BLADES

SafeSmart Access
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# DUAL PURPOSE TAIL PLATFORM

## TO SUIT BELL 412 AIRCRAFT

### FEATURES & BENEFITS

- DESIGNED FOR A BELL 412 HELICOPTER
- CLEAR SPAN UNDERNEATH CUTOUT TO ALLOW FOR USE ON A CESSNA AIRCRAFT
- UNOBSTRUCTED WORK AREA ON PLATFORM TO ALLOW FOR REMOVAL & STORAGE OF ROTOR BLADES




sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# EUROCOPTER SIDE PLATFORM

## FEATURES & BENEFITS

- INCREASE PRODUCTIVITY AND EFFICIENCY WITHIN YOUR MAINTENANCE PROGRAM
- SAFE AND CERTIFIED ACCESS DECKS FOR ALL HELICOPTER MAINTENANCE NEEDS

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

1100lbs
LOAD CAPACITY
500KG

# AW 139 ROTOR MAINTENANCE STAND

## FEATURES & BENEFITS

- THIS PLATFORM ALLOWS THE SERVICE PEOPLE TO WALK COMPLETELY AROUND THE ROTOR, CARRYING HEAVY EQUIPMENT, TOOLS OR REPLACEMENT PARTS
- LARGE DECK CATERS FOR A FORKLIFT OR GANTRY CRANE TO LIFT HEAVY PARTS ONTO THE PLATFORM

Ensure safe, easy and hassle free access for maintenance on helicopter tail rotor

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# MAINTENANCE STAIR

## FEATURES & BENEFITS

- CANTILEVER DESIGN ALLOWS FOR UNOBSTRUCTED ACCESS TO AIRCRAFT
- PERFECT FOR USE ON HELICOPTERS & FIXED WING AIRCRAFT
- FLAT PACKED DESIGN FOR EASY TRANSPORT

SafeSmart Access
Reaching new heights

www.safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

# AIRPLANE ACCESS STAIRS

## FEATURES & BENEFITS

- CUSTOM BUILT PLATFORMS AND STAGING TO SUIT ALL AIRPLANE MAKES AND MODELS
- PASSENGER TERMINAL STAIRS CAN BE DESIGNED FOR ANY AIRCRAFT INCLUDING BOEING AND AIRBUS
- ALL PLATFORMS ARE INDEPENDENTLY ENGINEERED AND CERTIFIED TO RELEVANT AVIATION AND OH&S STANDARDS

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# AIRCRAFT DOCKING SYSTEM

## HERCULES C130 PICTURED

- SITUATION; HERCULES C130 HEAVY DUTY REFURBISHMENT FOR THE R.A.A.F RICHMOND, NSW, AUSTRALIA
- THE PACKAGE INCLUDES HEAVY DUTY STEEL BASE DOCKING PLATFORMS. STRUCTURAL ALUMINUM CUSTOM MOBILE PLATFORMS AND ALUMINUM MOBILE SCAFFOLD TO CREATE A COMPLETE ACCESS SOLUTION
- PROSCAF RINGLOCK SYSTEM SCAFFOLD AND CLEAR SPAN TRUSS BEAMS ALLOW FOR TIGHT SPACE REQUIREMENTS AND PLENTY OF UNOBSTRUCTED ACCESS FOR OPERATORS UNDERNEATH THE PLATFORM
- CUSTOM DESIGN ALUMINUM PLATFORMS ENCAPSULATE THE AIRCRAFT COMPLETELY YET CAN BE EASILY RELOCATED IF REQUIRED
- MOBILE SCAFFOLDING GIVES COST EFFECTIVE ACCESS TO THE WING SURFACES
- SAFESMART ACCESS PROVIDES THE COMPLETE SOLUTION FROM SYSTEM DESIGN TO INSTALLATION
- COMPLETE SYSTEM CAN BE DISASSEMBLED FOR REDEPLOYMENT



SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca

OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055

PRICES EXLCUDE FREIGHT E&OE

# AIRCRAFT DOCKING SYSTEM



**MOBILE ALUMINUM DOCKING FOR NOSE AND PROPELLER ACCESS**
**UNIQUE SLIDING PLATFORM SYSTEM FOR CLOSE ACCESS TO FUSELAGE**

**MOBILE SCAFFOLDING DESIGNED TO**
**AVOID USING HARNESSES AND LANYARDS**

# MAINTENANCE PLATFORMS

FULL TAIL ROTOR ACCESS WITH ROOM FOR TOOLS AND PARTS

UNPARALLELED ACCESS CALL US FOR MORE DETAILS

FULL SURROUND SIDE AND NOSE PLATFORMS



SAFESMART ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# SIKORSKY BLACKHAWK HELICOPTER MAINTENANCE PLATFORM

- HIGH TENSILE, LIGHTWEIGHT ALUMINUM - EASILY MANEUVERED
- PLATFORMS LINK TOGETHER SURROUNDING THE MACHINE - CONTINUOUS, NON-TRIP SURFACE
- EASY GRADIENT STAIR ACCESS - SAFE WITH ONE HAND FREE TO CARRY TOOLS
- FULL GUARDRAILING AND TOEBOARD - PEACE OF MIND COMPLIANCE
- THE INNER EDGE OF THE PLATFORMS ARE SHAPED TO MATCH THE CONTOUR OF THE MACHINE
- HEIGHT ADJUSTABLE CASTORS - COMPENSATE FOR UNEVEN SUPPORT SURFACES
- CAN BE SIMPLY DISMANTLED TO FIT A SINGLE 40' SHIPPING CONTAINER - EASY DEPLOYMENT

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# PLATFORM CONCEPTS

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# PLATFORM CONCEPTS

sales@safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

SAFESMART ACCESS
Reaching new heights

# STARS PLATFORM

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

AMBULANCE

# REACH DECK PLATFORM

## TRANSPORT MAINTENANCE ACCESS
### FEATURES & BENEFITS

- HEIGHT ADJUSTABLE PLATFORM
- CANTILEVER REACH DESIGN ALLOWS PLATFORM TO POKE INTO TIGHT AREAS
- TELESCOPIC OUTRIGGERS FOR EASE OF TRANSPORT
- ADJUSTABLE JACKS FOR STABILITY
- LARGE 8" (200MM) EASY RUN CASTORS FOR MANEUVERABILITY

### IDEAL FOR:

Helicopter maintenance access

Airplane maintenance access

Truck maintenance access

Mining maintenance access



SAFESMART ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# STEEL SCAFFOLDING


STEEL SCAFFOLDING COMPONENTS..... 82 - 89

SAFETY NETS..... 90 - 91

STAIR ACCESS TOWERS..... 92

RAMPS AND BEAMS..... 92

STRETCHER STAIRS..... 93

# STEEL SCAFFOLDING COMPONENTS

## VERTICAL STANDARD - BOLT IN SPIGOT

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290001 | 20" (0.5m) | 6lbs (2.9kg) |
| 290002 | 40" (1.0m) | 14lbs (6.4kg) |
| 290003 | 60" (1.5m) | 19lbs (8.5kg) |
| 290004 | 80" (2.0m) | 24lbs (11.0kg) |
| 290005 | 100" (2.5m) | 29lbs (13.0kg) |
| 290006 | 120" (3.0m) | 34lbs (15.4kg) |
| 290007 | 160" (4.0m) | 45lbs (20.3kg) |



## DIAGONAL BRACES 7' (2M) HIGH BAY

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290008 | 30" (0.73m) | 17lbs (7.9kg) |
| 290009 | 40" (1.09m) | 18lbs (8.4kg) |
| 290010 | 55" (1.40m) | 19lbs (8.8kg) |
| 290011 | 60" (1.57m) | 20lbs (9.1kg) |
| 290012 | 80" (2.07m) | 22lbs (10.0kg) |
| 290013 | 100" (2.57m) | 24lbs (11.1kg) |
| 290014 | 120" (3.07m) | 27lbs (12.3kg) |

## FEATURES & BENEFITS

- BOLT FREE CONNECTIONS
- VERSATILE FOR ANY SITUATION
- WITH 8 HOLE ROSETTES EVERY 20" (500MM) UP THE VERTICAL MEMBERS
- RINGLOCK CAN BE ERECTED QUICKLY ON SIMPLE AND COMPLEX SITES
- INTERCHANGEABLE COMPONENTS
- QUICK AND EASY TO USE WITH MINIMAL TRAINING

## *THE RINGLOCK ADVANTAGE - EASY TO INSTALL, TWICE AS QUICK*

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

## INTERMEDIATE TRANSOM - TUBULAR

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290094 | 28.5" (0.73m) | 7lbs (3.0kg) |
| 290095 | 42" (1.09m) | 13lbs (6.0kg) |

## INTERMEDIATE TRANSOM - DROPDOWN

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290024 | 42" (1.09m) | 13lbs (6.0kg) |

## TOE BOARD - STEEL



| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290034 | 28.5" (0.73m) | 3lbs (1.5kg) |
| 290035 | 42" (1.09m) | 5.5lbs (2.5kg) |
| 290036 | 55" (1.40m) | 7.5lbs (3.4kg) |
| 290037 | 60" (1.57m) | 8lbs (3.5kg) |
| 290038 | 80" (2.07m) | 9.5lbs (4.3kg) |
| 290039 | 100" (2.57m) | 12.5lbs (5.7kg) |
| 290040 | 120" (3.07m) | 14lbs (6.3kg) |

## HORIZONTAL COMPONENTS/LEDGERS - TUBULAR

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290015 | 15" (0.39m) | 5lbs (2.1kg) |
| 290016 | 28.5" (0.73m) | 9lbs (3.9kg) |
| 290017 | 42" (1.09m) | 12lbs (5.3kg) |
| 290018 | 55" (1.40m) | 14lbs (6.5kg) |
| 290019 | 60" (1.57m) | 16lbs (7.1kg) |
| 290020 | 80" (2.07m) | 20lbs (8.9kg) |
| 290021 | 100" (2.57m) | 24lbs (10.9kg) |
| 290022 | 120" (3.07m) | 28lbs (12.8kg) |

# STEEL SCAFFOLDING COMPONENTS

## LEDGER - U TRANSOM - REINFORCED

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290026 | 42" (1.09m) | 11lbs (5.0kg) |
| 290084 | 55" (1.40m) | 17lbs (7.6kg) |

## LEDGER - U TRANSOM

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290027 | 28.5" (0.73m) | 7lbs (3.1kg) |

## TRANSOM - LIFT OFF LOCK

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290029 | 28.5" (0.73m) | 3lbs (1.3kg) |
| 290028 | 42" (1.09m) | 4lbs (1.8kg) |

## TUBE BRIDGING LEDGER

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290030 | 60" (1.57m) | 22lbs (10.0kg) |
| 290031 | 80" (2.07m) | 29lbs (13.0kg) |
| 290032 | 100" (2.57m) | 33lbs (15.0kg) |
| 290033 | 120" (3.07m) | 40lbs (18.0kg) |

## WALL TIE STEEL

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290041 | 43" (1.1m) | 10lbs (4.4kg) |

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# STEEL SCAFFOLDING COMPONENTS

## DECK - STEEL TO FIT TUBULAR LEDGER

| PART NO. | WIDTH | LENGTH | WEIGHT |
|---|---|---|---|
| 290042 | 12.5" (0.32m) | 28" (0.73m) | 16lbs (7.2kg) |
| 290043 | 12.5" (0.32m) | 42" (1.09m) | 23lbs (10.4kg) |
| 290044 | 12.5" (0.32m) | 55" (1.40m) | 27lbs (12.2kg) |
| 290045 | 12.5" (0.32m) | 60" (1.57m) | 34lbs (15.7kg) |
| 290046 | 12.5" (0.32m) | 80" (2.07m) | 42lbs (19.0kg) |
| 290047 | 12.5" (0.32m) | 100" (2.57m) | 51lbs (23.2kg) |
| 290048 | 12.5" (0.32m) | 120" (3.07m) | 60lbs (27.4kg) |

## DECK - STEEL TO FIT U TRANSOM

| PART NO. | WIDTH | LENGTH | WEIGHT |
|---|---|---|---|
| 290051 | 12.5" (0.32m) | 28" (0.73m) | 18lbs (8.1kg) |
| 290052 | 12.5"(0.32m) | 42" (1.09m) | 23lbs (10.6kg) |
| 290053 | 12.5" (0.32m) | 55" (1.40m) | 28lbs (12.9kg) |
| 290054 | 12.5"(0.32m) | 60" (1.57m) | 31lbs (14.1kg) |
| 290055 | 12.5" (0.32m) | 80" (2.07m) | 38lbs (17.3kg) |
| 290056 | 12.5"(0.32m) | 100" (2.57m) | 47lbs (21.3kg) |
| 290057 | 12.5" (0.32m) | 120" (3.07m) | 55lbs (24.9kg) |

## ALUMINUM ACCESS DECK - TO FIT TUBULAR LEDGER

| PART NO. | WIDTH | LENGTH | WEIGHT |
|---|---|---|---|
| 290049 | 24" (0.61m) | 100" (2.57m) | 51lbs (23.2kg) |
| 290050 | 24" (0.61m) | 120"(3.07m) | 60lbs (27.4kg) |

## LVL SCAFFOLD PLANKS AND SOLE BOARDS

*LAMINATED SCAFFOLD PLANKS & SOLE BOARDS AVAILABLE*

# STEEL SCAFFOLDING COMPONENTS

## ACCESS DECK WITH LADDER - U TRANSOM

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290106 | 60" (1.57m) | 34lbs (15.7kg) |
| 290107 | 80" (2.07m) | 42lbs (19.0kg) |
| 290108 | 100" (2.57m) | 51lbs (23.2kg) |
| 290109 | 120" (3.07m) | 60lbs (24.7kg) |



## CANTI-LEVER BRACKETS, U TRANSOM

| PART NO. | LENGTH | WEIGHT |
|---|---|---|
| 290110 | 15" (0.39m) | 9lbs (3.9kg) |
| 290125 | 28" (0.73m) | 14lbs (6.4kg) |

## BASE COMPONENTS

| PART NO. | DESCRIPTION | SIZE | WEIGHT |
|---|---|---|---|
| 290058 | Base jack | 2' (600mm) | 16lbs (7.5kg) |
| 290059 | Jack (U head) | 2' x 7" (600 x 180mm) | 24lbs (11.0kg) |
| 290060 | Base collar | 9" (240mm) | 3lbs (1.6kg) |

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

## STAIRWAY STRINGER - SET

| PART NO. | WIDTH | WEIGHT |
|---|---|---|
| 290126 | 28" (0.73m) | 264lbs/set (120kg/set) |
| 290127 | 43" (1.09m) | 277lbs/set (126kg/set) |

## 20" LADDER GATE

| PART NO. | SIZE |
|---|---|
| 290128 | 20" (0.5m) |

### FEATURES & BENEFITS

- GRAVITY OPERATED - PREVENTS SPRING FAILURE
- SIMPLE COUPLER ATTACHMENT
- FULLY GALVANIZED - LONG LIFE
- GOOD VALUE FOR MONEY

## 40" LADDER GATE

| PART NO. | SIZE |
|---|---|
| 290129 | 40" (1.0m) |

### FEATURES & BENEFITS

- GRAVITY OPERATED - PREVENTS SPRING FAILURE
- SIMPLE COUPLER ATTACHMENT
- FULLY GALVANIZED - LONG LIFE
- GOOD VALUE FOR MONEY

# COUPLERS & ACCESSORIES

## EXTERNAL SLEEVE COUPLER

| PART NO. | BAG QTY |
|---|---|
| 290074 | 50 |

## BASE PLATE

| PART NO. | BAG QTY |
|---|---|
| 290117 | 50 |

## PLANK RETAINING BRACKET

| PART NO. | BAG QTY |
|---|---|
| 290075 | 50 |

## PROPPING FIXED COUPLER

| PART NO. | BAG QTY |
|---|---|
| 290118 | 50 |

## PROPPING SWIVEL COUPLER

| PART NO. | BAG QTY |
|---|---|
| 290119 | 50 |

## BEAM COUPLER

| PART NO. | BAG QTY |
|---|---|
| 290072 | 50 |

## HALF COUPLER

| PART NO. | BAG QTY |
|---|---|
| 290071 | 50 |

## JORDAN COUPLER

| PART NO. | BAG QTY |
|---|---|
| 290130 | 50 |

## BUTTERFLY COUPLER

| PART NO. | BAG QTY |
|---|---|
| 290073 | 50 |

## INTERNAL SLEEVE JOINER

| PART NO. | BAG QTY |
|---|---|
| HS046 | 50 |

## FIXED WEDGE COUPLER

| PART NO. | BAG QTY |
|---|---|
| 290120 | 50 |

## SWIVEL WEDGE COUPLER

| PART NO. | BAG QTY |
|---|---|
| 290121 | 50 |

## RIGID WEDGE COUPLER

| PART NO. | BAG QTY |
|---|---|
| 290077 | 50 |

## CLAMPABLE ROSETTE (BOLT ON)

| PART NO. | BAG QTY |
|---|---|
| 290122 | 50 |

## SPIGOT WITH 1/2 COUPLER

| PART NO. | BAG QTY |
|---|---|
| 290123 | 50 |

## LADDER CLAMP

| PART NO. | BAG QTY |
|---|---|
| 290124 | 50 |



SAFESMART ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

## STACKABLE CRATE

| PART NO. | SIZE (STANDARD) | SIZE (METRIC) |
|---|---|---|
| 290111 | 27" (H) x 37" (W) x 30" (L) | 700 (H) x 950 (W) x 750mm (L) |

### FEATURES & BENEFITS

- STACKABLE CRATE FOR STORAGE, ESPECIALLY COUPLERS
- FOLDS FLAT
- ROBUST AND GALVANIZED

---

CHUTE SECTION

SIDE ENTRY CHUTE

FIXER FRAME

TOP HOPPER

## RUBBISH CHUTES

| PART NO. | DESCRIPTION |
|---|---|
| 290112 | Top hopper |
| 290113 | Chute section |
| 290114 | Side entry chute |
| 290115 | Fixer frame |

### FEATURES & BENEFITS

- LIGHTWEIGHT - UNLIKE SOME RUBBISH CHUTES, WHICH, BEING MADE FROM INFERIOR MATERIAL CAN WEIGH OVER 33LBS (15KG) EACH, OUR SECTIONS WEIGHT ONLY 17LBS (8KG)
- STACKS EASILY - RUBBISH CHUTE SECTIONS ARE 44" (1100MM) HIGH AND TAPER FROM 20" (500MM) TO 16" (400MM). THIS ENSURES FLEXIBILITY AND EASY STACKING - VALUABLE SPACE IS SAVED
- EASILY ERECTED - EITHER BY HAND OR PURPOSE DESIGNED WINCH SYSTEMS, OUR RANGE OF RUBBISH CHUTES ARE READY FOR QUICK SET UP

---

## TREDDA PLATE

| PART NO. | DESCRIPTION |
|---|---|
| 290116 | Tredda plate pack of 50 |

### FEATURES & BENEFITS

- CREATE MAXIUMUM AWARENESS FOR PEDESTRIANS AND CO-WORKERS USING TREDDA PLATES

# SAFETY NETS

## THE ULTIMATE HEIGHT SAFETY COMPLEMENT TO SCAFFOLDING

| PART NO. | DESCRIPTION |
|---|---|
| 310001 | Safety net hook |

### FEATURES & BENEFITS

- TYPE S
- MANUFACTURED TO EN1263-1
- TIE ROPE, LACING ROPE AND HOOKS ALSO AVAILABLE - THE COMPLETE SYSTEM
- NETS CAN BE MANUFACTURED TO THE DIMENSIONS YOU REQUIRE

### SAFETY NETS

| PART NO. | WIDTH | LENGTH | AREA |
|---|---|---|---|
| 310004 | 39″ (1m) | 78″ (2m) | 22ft² (2m²) |
| 310005 | 39″(1m) | 314″ (8m) | 860ft² (8m²) |
| 310006 | 98″ (2.5m) | 137″ (3.5m) | 94ft² (8.75m²) |
| 310007 | 78″ (2m) | 78″ (2m) | 43ft² (4m²) |
| 310008 | 118″ (3m) | 118″ (3m) | 96ft² (9m²) |
| 310009 | 118″ (3m) | 196″ (5m) | 161ft² (15m²) |
| 310010 | 177″ (4.5m) | 137″ (3.5m) | 169ft² (15.75m²) |
| 310011 | 157″ (4m) | 157″ (4m) | 172ft² (16m²) |
| 310012 | 216″ (5.5m) | 177″ (4.5m) | 266ft² (24.75m²) |
| 310013 | 236″ (6m) | 314″ (8m) | 516ft² (48 m²) |
| 310014 | 236″ (6m) | 157″ (4m) | 258ft² (24m²) |
| 310015 | 39″ (1m) | 157″ (4m) | 43ft² (4m²) |
| 310016 | 39″ (1m) | 39″ (1m) | 10ft² (1m²) |
| 310017 | 47″ (1.2m) | 236″ (6m) | 77ft² (7.2m²) |
| 310018 | 78″ (2m) | 118″ (3m) | 64ft² (6m²) |
| 310019 | 78″ (2m) | 157″ (4m) | 21ft² (8m²) |
| 310020 | 118″ (3m) | 157″ (4m) | 124ft² (12m²) |
| 310021 | 157″ (4m) | 196″ (5m) | 215ft² (20m²) |
| 310022 | 157″ (4m) | 787″ (20m) | 861ft² (80m²) |
| 310023 | 196″ (5m) | 196″ (5m) | 269ft² (25m²) |
| 310024 | 196″ (5m) | 393″ (10m) | 538ft² (50m²) |
| 310025 | 275″ (7m) | 275″ (7m) | 527ft² (49m²) |
| 310026 | 275″ (7m) | 472″ (12m) | 904ft² (84m²) |
| 310027 | 393″ (10m) | 472″ (12m) | 1291ft² (120m²) |
| 310028 | 393″ (10m) | 393″ (10m) | 1076ft² (100m²) |

SafeSmart ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

# INTERNAL FALL SAFETY NETS

## FEATURES & BENEFITS

- AN ECONOMICAL AND EASY WAY TO COMPLY WITH HEIGHT SAFETY REQUIREMENTS
- ALL NETS ARE MANUFACTURED IN SPAIN TO EN1263-1
- UNIQUE EASY-BRACKET SYSTEM MAKES INSTALLATION SIMPLE, QUICK AND EASY - NO HASSLE AND DELAYS WAITING FOR INSTALLERS
- BRACKETS FIX BELOW THE TOP PLATE MEANING THERE IS NO INTERFERENCE WHILE PLACING ROOF TRUSSES IN RESIDENTIAL APPLICATIONS
- MAKE SURE YOU AND YOUR STAFF ARE AT NO RISK WHEN WORKING AT HEIGHTS
- 4 YEARS LIFE SPAN. NETS MUST BE TESTED ONCE IN THE FIRST 2 YEARS OF USE AND THEN ANNUALLY THEREAFTER
- EACH NET COMES WITH 3 TEST MESHES ATTACHED
- IN THE EVENT OF A NET BEING USED TO ASSIST A FALL, IT SHOULD BE INSPECTED BEFORE BEING USED AGAIN



# STAIR ACCESS, RAMPS & BEAMS

## STAIR ACCESS TOWERS

### FEATURES & BENEFITS

- STAIR ACCESS TOWERS ARE AVAILABLE FOR THE FULL RANGE OF SCAFFOLD SYSTEMS
- THESE UNITS ALLOW EASY ACCESS WITHOUT THE NEED FOR LADDERS, ENABLING WORKERS TO CARRY TOOLS AND MATERIALS
- STAIR ACCESS TOWERS ARE MANUFACTURED TO COMPLY WITH AUSTRALIAN STANDARDS

## RAMPS & BEAMS

### FEATURES & BENEFITS

- PEDESTRIAN RAMPS ARE EASY TO INSTALL AND OFFER WHEELCHAIR ACCESS

**Aluminum truss beam roof**

**Pedestrian steel scaffolding ramp**



SAFESMART ACCESS
Reaching new heights

www.safesmartaccess.ca
OXBOW 1 306 483 5055 I EDMONTON 1 780 809 5055
PRICES EXLCUDE FREIGHT E&OE

## ALUMINUM SCAFFOLD STAIRS

| PART NO. | DESCRIPTION | SIZE |
|---|---|---|
| 290065 | Stretcher stair | 2ft x 7ft (600 x 2000mm) |
| 290076 | Stretcher stair | 2ft x 3ft (600 x 1000mm) |

## FEATURES & BENEFITS

- THE MOST DURABLE STRETCHER STAIR
- FULLY BRACED TREADS - WON'T DIP OR BUCKLE
- TREADS REST OVER SAWTOOTH SIDE WALL
- HANDRAILS BOLT TO SIDES



**STAIR TREAD RESTS OVER SIDE STRINGER FOR ADDED STRENGTH**

**ALL STAIR TREADS HAVE UNDERSIDE BRACING**

# INDEX


| A | PG |
|---|---|
| ABOVE GROUND LOADER PLATFORM | 55 |
| ACCESS DECK WITH LADDER - U TRANSOM | 86 |
| ADJUSTABLE ALUMINUM STAIRS | 34 |
| ADJUSTABLE HEIGHT PLATFORM | 50,53 |
| ADJUSTABLE HEIGHT STAIRS | 52 |
| AIRPLANE ACCESS STAIRS | 73 |
| AIRCRAFT DOCKING | 74-75 |
| ALL TERRAIN STAIR PACK | 18 |
| ALUMINUM SCAFFOLD STAIR | 93 |
| ALUMINUM ACCESS DECK - TO FIT TUBULAR LEDGER | 85 |
| ALUMINUM ACCESS PLATFORM | 28-29 |
| ALUMINUM ACCESS PLATFORM WITH LANYARD LINE | 30-31 |
| ALUMINUM EDGE PROTECTION | 33 |
| ALUMINUM SCAFFOLD CEILING JACK | 35 |
| ALUMINUM SCAFFOLD TOWER | 22 |
| ALUMINUM STAIRS | 51 |
| ALUMINUM TRADE LADDER | 08 |
| ALUMINUM WARTHOG LADDER | 06-07 |
| AW 139 ROTOR MAINTENANCE STAND | 71 |

| B | |
|---|---|
| BEAMS | 92 |
| BELL 412 SIDE MAINTENANCE STAND | 66-67 |
| BELOW GROUND LOADER PLATFORM | 55 |
| BLACKHAWK HELICOPTER MAINTENANCE STAND | 76-77 |
| BRANACH EXTENSION LADDER | 14 |
| BRANACH LADDER | 12-13 |
| BRIDGES | 54 |
| BRIDGE DECK | 57 |
| BRIDGING SYSTEM TRESTLE | 43 |
| BUS ACCESS PLATFORM | 59 |

| C | |
|---|---|
| CANTI-LEVER BRACKETS, U TRANSOM | 85 |
| CANTILEVER MAINTENANCE PLATFORM ALUMINUM | 38-39 |
| COMPACT SCAFFOLDING | 20-21 |
| CONVEYOR BRIDGE | 61 |
| CONVEYOR BRIDGING PLATFORM | 62 |
| CORNER PACK | 19 |
| COUPLER & ACCESSORIES | 88 |
| COVERED JUMP FORM STAIR | 52 |
| CUSTOM BRIDGES | 54 |
| CUSTOM TRUCK LOADING PLATFORM | 30-32 |
| CYLINDER PLATFORM | 60 |

| D | PG |
|---|---|
| DESKSURFER | 44-45 |
| DESKSURFER MAXI | 46-47 |
| DIAGONAL BRACES (PROSCRAF) | 82 |
| DOCKING - AIRCRAFT | 74-75 |
| DOUBLE WIDTH - 5ft SCAFFOLD | 32-33 |
| DUAL PURPOSE ALUMINUM WARTHOG LADDER | 06-07 |
| DUAL PURPOSE FIBERGLASS TRADE LADDER | 08 |
| DUAL PURPOSE SIDE PLATFORMS | 68 |
| DUAL PURPOSE TAIL PLATFORM | 69 |

| E | |
|---|---|
| EUROCOPTER SIDE PLATFORM – HELICOPTER MAINTENANCE STAND | 70 |
| EXTERNAL SLEEVE JOINER | 88 |

| F | |
|---|---|
| FIBERGLASS FPL SERIES LADDER | 12 |
| FIBERGLASS TRADE SERIES PLATFORM LADDER | 08 |
| FLOAT DECK | 58 |
| FOLDING ORDER PICKER | 10-11 |

| H | |
|---|---|
| H FRAME SCAFFOLD ATTACHMENTS | 18 |
| HEAVY DUTY PLANT ACCESS PLATFORM | 63 |
| HEIGHT ADJUSTABLE WORK PLATFORM | 44 |
| HELICOPTER PLATFORM | 66-67, 70-71 |
| HORIZONTAL COMPONENTS/LEDGERS - TUBULAR | 80 |

| I | |
|---|---|
| INTERMEDIATE TRANSOM - DROPDOWN | 83 |
| INTERMEDIATE TRANSOMS - TUBULAR | 83 |

# INDEX


| L | PG |
|---|---|
| LADDER - ORDER PICKING | 10-11 |
| LADDER - STRAIGHT | 11 |
| LADDER - TRADE SERIES | 08 |
| LADDER - WARTHOG | 06-07 |
| LADDER - GATE | 87 |
| LEDGER - U TRANSOM | 84 |
| LEDGER - U TRANSOM - REINFORCED | 84 |
| LOADER PLATFORMS | 55 |
| LONG BOARD SET | 19 |
| LVL SCAFFOLD PLANKS AND SOLE BOARDS | 85 |

| M | |
|---|---|
| MAINTENANCE PLATFORM | 54-55 |
| MAINTENANCE PLATFORM - BRIDGE DECK | 57 |
| MAINTENANCE PLATFORM - BUS | 59 |
| MAINTENANCE PLATFORM - CANTILEVER PLATFORM | 38-39 |
| MAINTENANCE PLATFORM - CONVEYOR BRIDGING | 61-62 |
| MAINTENANCE PLATFORM - CYLINDER | 60 |
| MAINTENANCE PLATFORM - DESKSURFER | 44-45 |
| MAINTENANCE PLATFORM - FLOAT DECK | 58 |
| MAINTENANCE PLATFORM - HELICOPTER | 66-67, 70-71 |
| MAINTENANCE PLATFORM - DESK SURFER MAXI | 46-47 |
| MAINTENANCE PLATFORM - OIL RIG | 53 |
| MAINTENANCE PLATFORM - PLANT ACCESS | 63 |
| MAINTENANCE PLATFORM - PODIUM | 48-49 |
| MAINTENANCE PLATFORM - RAIL | 56 |
| MAINTENANCE PLATFORM - RAZOR DECK | 40-41 |
| MAINTENANCE PLATFORM - REACH DECK | 80 |
| MAINTENANCE PLATFORM - SUPER | 36-37 |
| MAINTENANCE PLATFORM - STAIRS (AIRPLANE) | 73 |
| MAINTENANCE PLATFORM - SUPER TRESTLE | 42-43 |
| MAINTENANCE PLATFORM - TANKER | 64 |
| MINI MOBILE SCAFFOLD | 16-17 |
| MINI MOBILE EXPANSION SCAFFOLD | 18-19 |
| MOBILE SCAFFOLD | 16-19 |

| O | |
|---|---|
| OIL RIG MAINTENANCE PLATFORM | 53 |
| ORDER PICKER | 10-11 |

| P | PG |
|---|---|
| PLATFORM - LADDER | 06-08, 12-13 |
| PLATFORM - ADJUSTABLE HEIGHT | 50 |
| PLATFORM - BRIDGE DECK | 57 |
| PLATFORM - BUS ACCESS | 59 |
| PLATFORM - CANTILEVER | 38-39 |
| PLATFORM - CONVEYOR | 61-62 |
| PLATFORM - CYLINDER | 60 |
| PLATFORM - DESKSURFER | 44-45 |
| PLATFORM - DESKSURFER MAXI | 46-47 |
| PLATFORM - FLOAT DECK | 58 |
| PLATFORM - HELICOPTER | 76-77 |
| PLATFORM - LOADER | 55 |
| PLATFORM - OIL RIG | 53 |
| PLATFORM - PLANT ACCESS | 63 |
| PLATFORM - RAIL | 56 |
| PLATFORM - RAZOR DECK | 40-41 |
| PLATFORM - SUPER MAINTENANCE | 36-37 |
| PLATFORM - SUPER TRESTLE | 42-43 |
| PLATFORM - TANKER | 64 |
| PLATFORM - TRUCK LOADING | 28-29 |
| PEDESTRIAN ACCESS BRIDGE | 48 |
| PORTABLE STAIRS | 24-26 |
| PORTABLE STAIRS ACCESSORIES | 27 |
| PORTABLE TRUCK ACCESS STAIRS | 28-31 |
| POWERMASTER FED - FIBERGLASS | 14 |
| POWERMASTER FER - FIBERGLASS | 14 |

| R | |
|---|---|
| RAIL MAINTENANCE PLATFORMS | 56 |
| RAMPS | 92 |
| RAZOR DECK PLATFORM | 40-41 |
| REACH DECK PLATFORM | 80 |
| RUBBISH CHUTES | 89 |

| S | |
|---|---|
| SAFEDECK ALUMINUM SCAFFOLDING | 20-21 |
| SAFETY NETS | 90-91 |
| SCAFFOLD - MINI MOBILE | 16-17 |
| SCAFFOLD - SCAFFOLD TOWER | 22 |
| SCAFFOLD - SUPPORT BRACE | 35 |

# INDEX/TERMS & CONDITIONS


| S | PG |
|---|---|
| SCAFFOLD - MINI MOBILE EXPANSION | 18-19 |
| SELF LEVELLING ALUMINUM STAIRS | 24-25 |
| STACKABLE CRATE | 89 |
| STAIR - AIRPLANE ACCESS | 73 |
| STAIR - ALUMINUM | 51 |
| STAIR - PORTABLE | 24-25 |
| STAIR - PORTABLE TRUCK ACCESS | 34 |
| STAIRWAY STRINGER - SET | 87 |
| STEEL SCAFFOLDING COMPONENTS | 82-87 |
| STEP ATTACHMENT | 27 |
| STRETCHER STAIRS | 93 |
| SUPER MAINTENANCE PLATFORM | 36-37 |
| SUPER TRESTLE | 42-43 |
| **T** | |
| THREE LEVEL HEIGHT ADJUSTABLE PLATFORM | 41-42 |
| TOE BOARD - STEEL | 83 |
| TRADE SERIES ACCESSORIES | 08 |
| TRANSOM | 84 |
| TRANSPORT MAINTENANCE ACCESS | 80 |
| TREDDA PLATE | 89 |
| TRUCK EDGE PROTECTION | 33 |
| TRUCK LOADING PLATFORM | 26-27 |
| TUBE BRIDGING LEDGER | 84 |
| TWO MAN WORK PLATFORM | 42 |
| **V** | |
| VERTICAL STANDARD | 81 |
| **W** | |
| WALL TIE STEEL | 84 |
| WIDE BOARD | 19 |
| **Y** | |
| Y BRACING | 27 |


## TERMS & CONDITIONS


1. Copyright SafeSmart Access 2015. ABN 20 024 050 645 - No part of this publication maybe reproduced without the written permission of SafeSmart Access.


2. SafeSmart Access has made every effort to portray accurate descriptions and information within this catalogue. No liability is accepted in the event of errors or omissions.

3. Where specifications are provided they are intended as a guide only. Please inquire from our staff for full details of product at time of inquiry.

4. All rights reserved including the right to substitute a like product at the sole discretion of SafeSmart Access. Products may vary in detail from the described item. Products may be deleted, amended, substituted or changed at the sole discretion of SafeSmart Access.

5. The customer/user must establish the suitability of the product purchased for their own safe use.

6. Trade Marks. Where any registered trade mark has been used it is with recognition of the owner's right.

7. Any measurements shown are intended as a guide only. Please confirm any critical measurement with SafeSmart Access.

# See Our New Website

**Stay up to date with SafeSmart Access Canada's latest products, and stories from the industries we serve.**




## Easy Online Quoting: Fast Turnaround Time on Pric-




*Simply choose a product and fill in the tab and your quote is on the way to our team.*

## Visit www.safesmartaccess.ca

# INTERNATIONAL LOCATIONS

| UK | AUS | USA | NZ |
|---|---|---|---|
| London | Melbourne - Sydney | Cleveland - Los Angeles - New York | Auckland |

SAFESMART ACCESS

*Reaching new heights*


www.safesmartaccess.ca

sales@safesmartaccess.ca

OXBOW 1 306 483 5055 | EDMONTON 1 780 809 5055


LADDERS • ALUMINUM SCAFFOLDING • EDGE PROTECTION • SPECIALIST CUSTOM PROJECTS • AVIATION • STEEL SCAFFOLDING